



CERTIFICATE OF ANALYSIS

Product Name	Tryptic Soy Agar w Neutralisant
Catalogue No	02067
Batch No	2411054
Dehydrated Brand / Batch No / Expiry Date	TSA : Oxoid/ 6112629/05-2029
Neutralizer Brand / Batch No / Expiry Date	Lecithin (Neogen) / UK4328622/ 04-2026 Tween 80 (SABO)/ 2000125511/ /03-2025
Production Date	18.11.2024
Expiry Date	18.03.2025
Storage Conditions	2-25°C

Physical & Chemical Specifications

Appearance	Must have a smooth surface	Appropriate
Color	Light amber	Appropriate
pH	7,3 ± 0,2	7,35
Dryness Test	4 hours	Appropriate

Microbiological Specifications: Productivity and acc. To ISO/TS 11133

Method of control: Counting Method	Inoculum: :(+ control 10-100cfu, - control 100-1000 cfu)		Incubation: 30- 35 °C 24- 72 h (bacteria) 20- 25 °C 48- 120 h (fungi)		
Sterility	Incubation: 30-35 °C ; 3 days(bacteria) 20-25 °C ; 5 days (fungi)			Sterile	
QC Strains	ATCC	Results			
		Control	Product	Growth	
Bacillus subtilis	6633	74	75	%101	Appropriate
Staphylococcus aureus	6538	73	75	%102	Appropriate
Candida albicans	10231	73	73	%100	Appropriate
Pseudomonas aeruginosa	9027	74	74	%100	Appropriate
Aspergillus brasiliensis	16404	72	73	%101	Appropriate
Escherichia coli	8739	73	73	%100	Appropriate
Staphylococcus epidermidis	12228	73	75	%102	Appropriate

Acceptance Criteria: %50-200

QC Date	27.11.2024
QC Manager	Ali ARAS

This document has been prepared electronically.

BİOCELL BİYOLOJİK VE TIBBİ ÜRÜNLER SAN. TİC. LTD. ŞTİ.
Kaynarca Mahallesi Çeşni sokak No : 5/2 Pendik / İstanbul / TURKEY
Telefon:0216 354 90 54 E-mail: info@bio-cell.net